

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L1 | 2 | ("5835720").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:05 |
| L2 | 57309 | (determin\$4 or find\$4) adj2 (origin or location\$2) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:12 |
| L3 | 9318 | ((determin\$4 or find\$4) adj2 (origin or location\$2)).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:13 |
| L4 | 2 | ((determin\$4 or find\$4) adj2 (origin or location\$2)).ab. and spam\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:14 |
| L5 | 53 | ((determin\$4 or find\$4) adj2 (origin or location\$2)) and spam\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:14 |
| L8 | 0 | determin\$4 adj2 where adj3 (message or communication or spam or data) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:42 |
| L9 | 4259 | determin\$4 adj2 (location or point or server or client or user) adj3 (message or communication or spam or data) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:42 |
| L10 | 608 | (determin\$4 adj2 (location or point or server or client or user) adj3 (message or communication or spam or data)).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:43 |
| L11 | 10307 | (709/223,224,225,226,229,235).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:43 |
| L12 | 9 | L11 and (determin\$4 adj2 (location or point or server or client or user) adj3 (message or communication or spam or data)).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:45 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| L13 | 95 | (determin\$4 adj2 (location or point or server or client or user) adj3 (message or communication or spam or data) same first).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:46 |
| L14 | 5 | "709"/.ccls. and (determin\$4 adj2 (location or point or server or client or user) adj3 (message or communication or spam or data) same first).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:57 |
| L15 | 49 | (determin\$4 or find\$4) adj2 (location or server or point) adj3 transmit\$4 adj2 (information or email or spam or advertisements) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:58 |
| L16 | 2 | ("6662230").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 17:41 |
| S1 | 10249 | (709/223,224,225,226,229,235).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/28 11:25 |
| S2 | 6860 | S1 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/29 15:16 |
| S3 | 3 | S2 and (unwant\$4 or spam\$4 or pop-up) adj2 communication | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/28 11:34 |
| S4 | 497 | S2 and (unwant\$4 or spam\$4 or pop-up) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/28 11:35 |
| S5 | 272 | S2 and (spam\$4 or pop-up) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/28 11:35 |
| S6 | 4 | S2 and (spam\$4 or pop-up).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/28 11:42 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S7 | 6 | (determin\$4 or identif\$4) adj3 (user or sender) adj2 (spam) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/29 15:17 |
| S8 | 1 | (determin\$4 or identif\$4) adj3 (user or sender) adj2 (spam) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/29 15:19 |
| S9 | 67 | (determin\$4 or identif\$4) same(user or sender) same (spam) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/29 15:19 |
| S10 | 8 | ((determin\$4 or identif\$4) same(user or sender) same (spam)).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/29 15:19 |
| S11 | 48 | determin\$4 adj2 communication adj3 (pass\$4 or origin) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:41 |
| S12 | 23 | determin\$4 adj2 communication adj3 (pass\$4 or origin) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:44 |
| S13 | 27 | determin\$4 adj2 (communication\$2 or spam\$4 or "unwanted communication") adj3 (pass\$4 or origin) and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:47 |
| S14 | 1181 | spam\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:48 |
| S15 | 5 | (different or multiple or many) near2 (network or communication) adj2 (point\$4 or device\$4) and spam\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:50 |
| S16 | 8 | (different or multiple or many) near2 (network or communication) same spam\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:40 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S17 | 37 | spam\$4 adj2 filter\$4 and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 12:53 |
| S18 | 6 | (spam\$4 adj2 filter\$4).ab. and @ad<"20011011" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/04 16:11 |